


## INBOARD CYLINDERS

### DIMENSIONS

#### UC69-I, UC116-I, UC168-I, UC215-I




	UC69-I	UC116-I	UC168-I	UC215-I
<b>A</b>	644 mm – 25.33"	741 mm – 22.17"	792 mm – 31.18"	941 mm – 37.05"
<b>B</b>	494 mm – 19.43"	563 mm – 29.17"	614 mm – 24.17"	713 mm – 28.07"
<b>C (corsa)</b>	150 mm – 5.9"	178 mm – 7"	178 mm – 7"	228 mm – 8.98"
<b>D</b>	40 mm – 1.57"	40 mm – 1.57"	40 mm – 1.57"	40 mm – 1.57"
<b>E</b>	73 mm – 2.87"	105 mm – 4.13"	105 mm – 4.13"	105 mm – 4.13"
<b>STELO (dia.)</b>	25 mm – 0.98"	32 mm – 1.25"	40 mm – 1.57"	40 mm – 1.57"

## INBOARD CYLINDERS

### DIMENSIONS

#### UC293-I, UC378-I




	UC293-I	UC378-I
<b>A</b>	178 mm – 7"	228 mm – 9"
<b>B</b>	163 mm – 6.4"	199 mm – 7.8"
<b>C</b>	134 mm – 5.2"	163 mm – 6.4"
<b>D</b>	506 mm – 19.9"	592 mm – 23.3"
<b>E</b>	107 mm – 4.2"	132,5 mm – 5.2"
<b>F</b>	40 mm – 1.6"	40 mm – 1.6"
<b>G</b>	125 mm – 4.9"	125 mm – 4.9"
<b>STELO <math>\varnothing</math></b>	20 mm – 0.8"	20 mm – 0.8"

## INBOARD CYLINDERS

### DIMENSIONS

#### UC339-I, UC442-I, UC530-I



	UC339-I	UC442-I	UC530-I
<b>A</b>	230 mm – 9"	300 mm – 12"	250 mm – 10"
<b>B</b>	200 mm – 7.9"	260 mm 10.2"	218 mm 8.6"
<b>C</b>	164 mm – 6.5"	212 mm – 8.3"	178 mm – 7.0"
<b>D</b>	637 mm – 25.1"	749 mm – 29.5"	723 mm – 28.5"
<b>E</b>	147 mm – 5.8"	183 mm – 7.2"	168 mm – 6.6"
<b>F</b>	70 mm – 2.8"	70 mm – 2.8"	120 mm – 4.7"
<b>G</b>	110 mm – 4.3"	110 mm – 4.3"	104 mm – 4.1"
<b>STELO Ø</b>	25 mm – 0.98"	25 mm – 0.98"	30 mm – 1.18"